


HOT MIX ASPHALT
(2" MIN. OR MATCH EXIST. DEPTH)

12" GRAVEL

EXIST. PAVEMENT



NOTES:

1. 12" OF GRAVEL BASE COURSE SHALL BE COMPACTED TO 95% OF MAXIMUM DRY DENSITY.
2. HOT MIX ASPHALT TRENCH PATCH SHALL BE A MINIMUM OF 2" TOTAL THICKNESS, OR SHALL MATCH THE EXISTING PAVEMENT THICKNESS, WHICHEVER IS GREATER.

DRAFT



ENGINEERING DIVISION - WAKEFIELD PUBLIC WORKS

DESIGN AND CONSTRUCTION STANDARDS
TEMPORARY TRENCH PAVING DETAIL

SCALE: NTS

DETAIL #: SS-05

DATE: MAY 22 2023